

IN THE CLAIMS

Please amend claims 1-19 to read as indicated in the following listing of pending claims.

PENDING CLAIMS

1. (Currently Amended) A face lifting wig comprising:
- a. a substantially thin hair net which is structured to be snugly seated over a person's scalp in covering relation thereto, ~~said hair net having~~ which has at least two sections~~[[,]] means for fixedly attaching said sections to one another~~ that are secured together so as to create a reinforced seam therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net~~[[,]] said border being structured that is configured~~ to retain said hair net over said person's scalp; and
- b. ~~means for~~ at least one skin retaining element at the resilient border at an end of the reinforced seam to retain ~~[[the]]~~ skin over a person's face in a lifted position.
2. (Currently Amended) A face lifting wig as recited in claim 1 wherein ~~said means for fixedly attaching said~~ the hair net sections are secured to one another ~~comprises~~ by stitching.
3. (Currently Amended) A face lifting wig as recited in claim 1 wherein ~~said means for securing the skin over said person's face in a lifted position comprises at least one~~ the skin retaining element is an adhesive pad ~~attached to a bottom surface of said border of said hair net.~~

4. (Currently Amended) A face lifting wig as recited in claim 3 wherein a ~~first one of said~~ the reinforced seams seam extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.

5. (Currently Amended) A face lifting wig as recited in claim 4 wherein a first adhesive pad is positioned ~~in said border on~~ at a first end of ~~said first one of said~~ the reinforced seams seam and a second adhesive pad is positioned ~~in said border on~~ at an opposite second end of ~~said first one of said~~ the reinforced seams.

6. (Currently Amended) A face lifting wig as recited in claim 1 wherein ~~said~~ the resilient border is constructed of a coating of resilient material on ~~said~~ the outer perimeter of said hair net.

7. (Original) A face lifting wig as recited in claim 6 wherein said resilient material is polyurethane.

8. (Currently Amended) A face lifting wig comprising:

- a. a substantially thin hair net which is structured to ~~[[be]]~~ snugly ~~seated~~ seat over a person's scalp in covering relation thereto, ~~said hair net having~~ which has at least two sections~~[[,]]~~ ~~means for fixedly attaching said~~ sections to one another secured together so as to create a reinforced seam therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net~~[[,]]~~ ~~said border being~~ structured to retain said hair net over said person's scalp; and
- b. at least one adhesive pad attached to a bottom surface of said border of said hair net at an end of the reinforced seam, ~~said at least one adhesive~~

~~pad being structured~~ which is configured to retain the skin over a person's face in a lifted position.

9. (Currently Amended) A face lifting wig as recited in claim 8 wherein ~~said means for fixedly attaching said~~ the hair net sections are secured to one another ~~comprises by~~ stitching.

10. (Currently Amended) A face lifting wig as recited in claim 8 wherein a ~~first one of said reinforced seams~~ seam extends from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp.

11. (Currently Amended) A face lifting wig as recited in claim 10 wherein a first adhesive pad is positioned ~~in said border on~~ at a first end of ~~said first one of said~~ the reinforced seams seam and a second adhesive pad is positioned ~~in said border on~~ an opposite at a second end of ~~said first one of said~~ the reinforced seams seam.

12. (Currently Amended) A face lifting wig as recited in claim 8 wherein ~~said~~ the resilient border is constructed of has a coating of resilient material ~~on said outer perimeter of said hair net.~~

13. (Currently Amended) A face lifting wig as recited in claim 12 wherein said resilient material is polyurethane.

14. (Currently Amended) A face lifting wig comprising:

- a. a substantially thin hair net ~~structured~~ which is configured to ~~[[be]]~~ snugly ~~seated~~ seat over a person's scalp in covering relation thereto, ~~said hair net having~~ which has at least two sections~~[[,]] means for fixedly attaching said sections~~ secured to one another so as to create a reinforced seam

therebetween, and which has a generally resilient border extending around an outer perimeter of said hair net~~[[,]] said border being structured~~ configured to retain said hair net over said person's scalp;

b. ~~a first at least one of said reinforced seams~~ seam extending from a temple on one side of said person's scalp to a temple on an opposite side of said person's scalp; and

c. at least one adhesive pad attached to a bottom surface of said border of said hair net~~[[,]] said at least one adhesive pad being structured~~ which is configured to retain ~~[[the]]~~ skin over a person's face in a lifted position.

15. (Currently Amended) A face lifting wig as recited in claim 14 wherein ~~said means for fixedly attaching said sections~~ the hair net sections are secured to one another ~~comprises~~ by stitching.

16. (Currently Amended) A face lifting wig as recited in claim 14 wherein a first adhesive pad is positioned ~~in said border on~~ at a first end of ~~said first one of said~~ a reinforced ~~seams~~ seam and a second adhesive pad is positioned ~~in said border on an~~ opposite at a second end of ~~said first one of said~~ the reinforced ~~seams~~ seam.

17. (Currently Amended) A face lifting wig as recited in claim 14 wherein ~~said~~ the resilient border ~~is constructed of~~ has a coating of resilient material ~~on said outer~~ perimeter of said hair net.

18. (Currently Amended) A face lifting wig as recited in claim 17 wherein said resilient material is polyurethane.

19. (Original) A face lifting wig as recited in claim 14 wherein said adhesive pad is double sided tape.